The Trail Inventory of Warm Springs NFH Warm Springs, OR





Prepared By: Federal Highway Administration Central Federal Lands Highway Division June, 2013



TABLE OF CONTENTS

SECTION		PAGE
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CHANGES AND CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
IX.	GLOSSARY	i

NOTE TO USERS OR READERS

In this report, the reader may find a mix of dates associated with the condition assessment and photographs. Chapter 4 shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the cycle 3 assessment was done to in

2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

In Chapter 6 the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because the existing photographs from Cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the Cycle 3 site visit.

The reader may also notice some of the feature photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Warm Springs NFH

Trail and Trail Feature Summaries

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Othe	ers	Total
Type	Miles	%	Miles	%	Miles
Gravel	0.05	100%	0.00	0%	0.05
Admin Road	0.00	0%	0.31	100%	0.31
Total	0.05	14%	0.31	86%	0.36

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excell	ent	Others		Total
Classification	Miles	%	Miles	%	Miles
TC4	0.05	14%	0.31	86%	0.36
Total	0.05	14%	0.31	86%	0.36

^{*}Admin Roads are included in the inventory but are not rated for condition.

Trail Features

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T400	Trailhead	1	No	0.00	WASP_C3_03 09
T400	Gate	1	No	0.01	
T400	Sign	1	No	0.03	WASP_C3_03 21
T400	Max Grade- %	3	No	0.09	
T400	Begin Section	1	No	0.19	WASP_C3_031 1
T400	Begin Section	1	No	0.23	WASP_C3_03 10
T401	Trailhead	1	No	0.00	WASP_C3_03 20
T401	Step: Rock -each	32	No	0.00	

sf - square feet

If - linear feet

cf - cubic feet

Warm Springs NFH Trail Location Map



Trails ID

Station Name: Warm Springs NFH Org Code: 13290

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T400	Fish Tanks Trail	Admin Road	N/A	0.31	From Visitors Center to End of Loop
T401	Holding Ponds Observation Trail	Gravel	N/A	0.05	From Visitors Center to Warm Springs River

CHANGES TO THE FISH AND WILDLIFE SERVICE TRAIL INVENTORY REPORT

Warm Springs NFH

Trails added to p	evious inventory:
-------------------	-------------------

Trail # Trail Name Reason for Addition

Trails removed from previous inventory:


Trail # Trail Name Reason for Removal

Trails modified from previous inventory:

Irail#	Irail Name	Type of Modification	Description of Modification
T400	Fish Tanks Trail	trail length changed	from .32 to .31
T401	Holding Ponds Observation Trail	trail length changed	from .05 to .09
T401	Holding Ponds Observation Trail	section length change	from .05 to .09

Comments:	

TRAIL CONDITION



Trail Name:Fish Tanks TrailRefuge Name:Warm Springs NFHTrail Number:T400Region: 1Total Length:0.31 Miles

Section Number	001	002	003
Section Length (miles)	0.27	0.02	0.02
SAMMS Number	N/A	N/A	N/A
Rating Date	06/09/2007	06/09/2007	06/09/2007
Trail Section Information			
Trail Class	TC4	TC4	TC4
Surface Type	Admin Road	Admin Road	Admin Road
Surface Firmness	Firm	Firm	Firm
Width (inches)	120	120	120
Average Grade (%)	0.2	0.2	0.2
Average X-slope (%)	0.30	0.30	0.30
Trail Condition Information			
Deferred Maintenance			
CRV			
FCI			
Condition			

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition

TRAIL CONDITION





Trail Name: Holding Ponds Observation Trail Refuge Name: Warm Springs NFH

Trail Number: T401 Region: 1 Total Length: **0.09 Miles**

Section Number	001
Section Length (miles)	0.05
SAMMS Number	N/A
Rating Date	06/09/2007
Trail Section Information	
Trail Class	TC4
Surface Type	Gravel
Surface Firmness	Firm
Width (inches)	120
Average Grade (%)	0.5
Average X-slope (%)	0.40
Trail Condition Information	
Deferred Maintenance	
CRV	\$15,168
FCI	0.00
Condition	Excellent

Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$15,168	0.00	Excellent

NOTE TO USERS OR READERS

This section shows an updated condition assessment for each trail documented in this report. However there may be dates on the condition assessment pages that range from 2006 and 2007 to 2012. This occurred because the GPS dates of the trails originally rated in Cycle 1 were not updated when the Cycle 3 assessment was done to in 2012. That GPS date is the basis for the Rating date in the report. Any new trail or section of trail that was collected and rated in Cycle 3 will have a rating date of 2012. While the rating dates may show a pre 2012 date, each trail was walked and its condition was assessed in 2012 during the Cycle 3 field season.

TRAIL DEFICIENCY

No Deficiencies

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400 STATION: Warm Springs NFH

DATE: 06/09/2007



Photo # WASP_C3_0309 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Warm Springs NFH

DATE: 08/20/2012



Photo # WASP_C3_0321 - MP 0.03 - Sign

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T400 STATION: Warm Springs NFH

DATE: 06/09/2007



Photo # WASP_C3_0310 - MP 0.23 - Begin Section

TRAIL NUMBER: T400 STATION: Warm Springs NFH

DATE: 06/09/2007



Photo # WASP_C3_0311 - MP 0.19 - Begin Section

PHOTOGRAPHIC SHEET

TRAIL NUMBER: T401 STATION: Warm Springs NFH

DATE: 06/09/2007



Photo # WASP_C3_0320 - MP 0.00 - Trailhead

A NOTE TO USERS OR READERS

In this chapter the reader may notice photographs with dates ranging from 2006 and 2007 to 2012. This occurs because existing photographs from cycle 1 were used if no significant or noticeable changes were seen in that location at the time of the cycle 3 site visit.

The reader may also notice some photographs are used more than once. The practice of the same photograph being used for more than one feature was allowed during this cycle's data collection.

Glossary of Terms and Abbreviations

Acc Info Accessibility information available at trailhead.

Action Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

Alt SAMMS SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

AvgGrade The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

AvgSlope The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

Check Dam A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

Condition Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

Crib Wall Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

Def type Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

Maintenance (DM)

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

Facility

Condition Index (FCI)

DM/CRV

Grouped Features Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Info Type Type of accessibility information available at trailhead:

brochure, sign or other.

Item Item on which the "Action" (see above) will be

performed.

Manage_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

MP Distance of a trail feature or deficiency from the

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

T Class Trail Class: I-V (see Appendix? for trail class

descriptions).

Tr Desig Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Turnpike Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.